Download CBSE Board Class 12 Biology Topper Answer Sheet 2015 For Free

Think90plus.com

Det. केन्द्रीय माध्यमिक शिक्षा बोर्ड, दिल्ली सीनियर स्कूल सर्टिफिकेट परीक्षा (कक्षा बारहवीं) परीक्षार्थी प्रवेश–पत्र के अनुसार भरें 24 Biology विषय Subject : 044 विषय कोड Subject Code : परीक्षा का दिन एवं तिथि Day & Date of the Examination : Monday, 23 2015 उत्तर देने का माध्यम ENGLISH Medium of answering the paper : प्रश्न पत्र के ऊपर लिखे Set Number Code Number कोड को दर्शाए : 57/1/3 1204 Write code No. as written on the top of the question paper : अतिरिक्त उत्तर-पुस्तिका (ओं) की संख्या nil No. of supplementary answer -book(s) used 1000 हाँ / नहीं विकलांग व्यक्तिः NO Person with Disabilities : Yes / No किसी शारीरिक अक्षमता से प्रभावित हो तो संबंधित वर्ग में 🗸 का निशान लगाएँ। If physically challenged, tick the category S С A Н D В B = दृष्टिहीन, D = मूक व बधिर, H = शारीरिक रूप से विकलांग, S = स्पास्टिक C = डिस्लेक्सिक, A = ऑटिस्टिक B = Visually Impaired, D = Hearing Impaired, H = Physically Challanged S = Spastic, C = Dyslexic, A = Autistic क्या लेखन – लिपिक उपलब्ध करवाया गया : हाँ / नहीं Whether writer provided : Yes / No यदि दृष्टिहीन हैं तो उपयोग में लाए गये सोफटवेयर का नाम : If Visually challenged, name of software used *एक खाने में एक अक्षर लिखें। नाम के प्रत्येक भाग के बीच एक खाना रिक्त छोड़ दें। यदि परीक्षार्थी का नाम 24 अक्षरों से अधिक है, तो केवल नाम के प्रथम 24 अक्षर ही लिखें। Each letter be written in one box and one box be left blank between each part of the name. In case Candidate's Name exceeds 24 letters, write first 24 letters. 2045819 कार्यालय उपयोग के लिए Space for office use 044 / 04732

Section - E 200 Joules ANSQL (a) As 200 viable seeds age being produced should be present as 1 seed is formed by Estilization b/w 1 2. 1 pollen grain + lovate. 200 viable seeds are produced is 200 pollen grains (b)AB recquired .: 200 = 50 microspore mother ane celle are recquired as \$4 1 pollen grain develops from 1 microspore + 1 microspore mother cell forms microspona? (microspone tetrad) by meiosis. 200 pêtter grains are recquired as 1 pollerz grain would finfilize one oule. to form seed. 0 Each pollen grain cavries 2 male gametes. ... 200 x 2 = 4002 male gametes would be recquired D as 200 pollen grains are recquired for producing 200 seeds

one Megaspose mother cell (MMC) in misropytour ovule differentiates 200 ovules are being used of will be recamined. Each MMC & undergoes MMC meiosis to form one 4 megaspones out of which 3 degenerate While I develops into embryosac which contains legg (d) Ans25. At a give instant, a population is comprised of individuals of different ages. The If age distribution (1. of individuals of particular age or age or AND - age group) is plotted for a le population, the resulting structure fourmed is called age pyramid. The shape of age pyramid reflects the growth status of population. The age pyramid contains age distributions of both of + 9 in same pysamid. 3 types of age pysamids are:-3) Post-reproductive (2) Reproductive Pre ne productive Stable Declaning

Analysis of agepysamids provides information for long term planning as If age pyparnial is expanding, i.e human follows: - Case I > population of that region/country is Tsing with time and individuals who are pre-reproductive age group & mare than in reproductive age group to with time, the country's population will I. Grovernment should take noraintes to control the country population like distrobut of controc incentive to small gamilies & couples with one children. Teptives, sex education, one child policy, etc Otherwise due to Tsing population the Conteri countries resources will depiete and not be able to support the population. (ase II > In case of stable age pyramid, the population of that country will remain almost fixed and stable as no. of inviduals of pre-reproductive age group are equal to no. of individuals of reproductive age group. The government should ensure that countries population does not Tont either due to natural calamities, " on resource neath, Job, education depiction. They should make plans for equal resource distribution 4 opportunites for al-Case III > In case of declining populage pyramid, the population tot will I with time as no of individuals of preseproductive age group are less than the no. of individuals in neproductive age group. The gout. Should try to make the populat by encouraging coupes to have more children, giving incentiv stable larger familier, better oppostunities 4 resources to them. and otherwise non time the countries population will & and eventually it would lead With V in productivity & of country to

AN24. (1) ABO blood group in human beings is controlled by gene. i/I It has 3 alleles It, IB, = i. The stedob Itat. (2) This gene . I shows multiple allelism as 202 mone alleles control one character. In red blood cells, plasma membrane contains sugar polymens that protoude from the surface and the kine of kind of (3) sugar present is controlled by gene I. (4) I + I⁸ alleles produce slightly different kind of El sugars her (sugar A + sugar B respectively) but i allele does not produce and sugar. I^A 4 I^B are completely d'ominant over recessive allele i 5) but It 4 Is are [co-dominant] wat. to each other. i.e when both alleles, are present together, they prov both express themselves and produce their phenotypes. ice. and both sugars are produced in the RBC.

Possible genotypes. Bloodgroup/Phenotype. : 6 genotypes are TATA A (1) I II possible pubile only A 2) TBTB 4 phenotypes on blood B 3) TBO B groups are possible in 4) îî · (5) 0 humans. 6) TP IB. AB. Section - A Euchnomatio AND2 Ageneticist chooses ong. whit with a short life cycle because with the organism white will produce the offsprings quickly in a short period of & time. These offsprings can be studied by the geneticist and can also be further mated to produce no more generation of offspringe


For eg:- Drosophilia melanogaster (Foruit fly) completes its life cycle in 2 weeks. Thus it produces the offsprings 19 very short time and geneticist and can study the radications in them. If an ong which & longlife cycle is thoose, then it would take years to complete research. AND 3 . It is the use of biogresources of traditional knowledge by multinational companies and organisations without proper authonization from countries on concorned people and without compensatory payment. Must puring industrialization, air polartion Tred, dust, soot a on air pollutants settled on thee basik and converted its colour from white to dark. Also due to air pollution (so2) white lichens could not survive and they exposed the dark surfaces of the trees. The dark-b coloured moths camouflaged with the sworownding but the white voisured could not camouflage and they were eaten by predator binds. Hence dask moth's Ised in numbers.

ANDS Xrays are ionising . electromagnetic radiations which induce mutations in ANA. They can convert pormal cells into cancer cells. They cause many genetic disorders by changing / altering DNA sequence thus changing and organism's phenotyper 4 genutype. Horn variations 4 mutation. Section - C ANUI 10 Parturition is the process of delivery of fully developed foetus or eller infant (child birth) thru birth canal. The signals for parturition originate from fully developed foetuits and placenta. (2) These signals induce mild utesine contractions called as fortal ejection reflex. (3) These contractions thigger the release of any soon from the mother's pituitary. The This acts on

uterine musiles, making the contractions 2 stronger and stronger. Frese apaire of events which further induces veters of oxytown chain events keep on going affile the child is (4) mese delivered out of the aterus three bighth canal. soon after which the placenta is also expelled out. thru uterus. (5) The hormony involved are estrogen, contisol 4 oxytocin. AN 12 The (1) After triple Jusion the pricease entral cell develops to forme primary endosperm cell which contain, primary endospern nucleus. (2) The primary endosperm cell undergoes successive cellificiation to form triploid endosporm which has abundant food (3) The kg primary endopperm nucleus undergoes successive nucleas dévisions to form jour prese nuclei and propositions. Often euclea resorves. type of endosper m development is called free nuclear enclosperm. After will cel which cell walls are call laid, and

the endosperm becomes cellular endosperm. Ex: coconut (containg many free nuclei). water is nuclear endosperm, while white kernel around is cellular endospern. The endosperm development preceeds that of zygote. to ensure that & endosperm containing abundant Good reverves is gosmed earlier and can pourish the developing embryo. ANS (1) When Darwin to visited Gralapagas islands, He saw various black birds (Icalled Darwin's finches) which varied in their shapes of beak and feeding brabit. He proposed that all piseds (different species) (2) developed from the same anceston who was seed - thing + from the same island they for flew off the to other islands where according to different environmental conditions and habitats, they dea adapted to different conditions and developed

different shapes of beaks and feeding habits. For eq:- >ome became cactus eating, seedi insect + grait ead eating Adaptive Radiation had occurred. It is defined as the process in which diffuent species originate from same ancestor on some babitat starting from one point and litera radiating to different habitats. Test cross will be used to find the genotype of purple ANDIL coloured flowed. As & purple is dominant over white colour in pea glowers, the offspring has a dominant trait In Test 14033, dominant progeny is croused with one of the necessive parents to find its genotype. Here the plant to can have the 2 genotypes:-(1) WW (homozygous dominant) where W-> dominant allele (purple (2) Nw (hetorozygous dominant) was precessive allele (white The following 2 Test crosses are & possible:-



۲w·· Now x www (recessive parent) (nous I > panenis games 3 w (W) (N)w Fostiszation, ww, WW F, ww WW Punnett square N w w Ww ww Ww -> Purple was white Ww 5 ww . Test cross ratio is 1:1 00 where 50% are purple 4 50% white Conclusion > If pea plant is homozygous dominant, then it will producte only purple progenies after test crose but if it is heterozygous dominant it will produce m

50% purple 4 50% white after test crose ANSIS (a) Enwin chargaff, rule the ratio of Adenine to thymine and Guarine to cytusine is contant and equal to 1 for any species for ds DNA. Adenine Thymine 02 Thymine = 520 nucleotides FAD= FT] Anna LAZO ED Total nucleotides - CAJ - ETJ = EGJ + ECJ 2000 - 520 - 520 = [G]+ [C] 960 = [GJ+[C] Gruanine Algo: [G] = [C] = 960 = 480 480 Purines are Adenine 4 bruanine as CAI+ [6]= 520 1400 100005 200 00 Total purines =

50% pumple 4 50% white after test cross ANSIS (a) Enwin chargaff , rule the ratio of Adenine to thymine and Guarine to cytusine is contant and equal to 1 for any species for ds DNA. Adenine Thymi-e 22 Thymine = 520 mudeotides FAD= ETJ anona taze telo Total nucleotides - EAJ - ETJ = EGJ + ECJ $\frac{2000 - 520 - 520 = [Gi] + [C]}{960 = [Gi] + [C]} \xrightarrow{9} (utosine)$ Algo: [G] = [C] = 960 = 480 Adenine 4 brugnine of CAJ+ [6]= 520 Purines are 400 100005 Total purines = 000

2 4 4 1 Jeorgo de rugain phatpho diestenbord (3'-s') 6) glycosidie bond Free Free phosphate. nucleotidos 4 nucl ats'erd. Insented -Inserted into host Ecoli Plasmid of Elli DNA bequences PLAS16 t ABTER translation separately (vector) chain A 4 chain B Polypeptide chain A extracted 2 p'oly peptide chains v Joined from Ecoli produced Separately in ELOII creating and processed disulfide bonds using downstream . Perocessing techniques. In 1983, Eli, Lilly tá an american company produced mature insulin Mature insulis created awing necombinant DNA technology

prolypeptide C chain B Proinsulio Presenter ... ihain B Processing chain A Insulio chain A AND IT -> rotating paddle sponged wa swildre beps enthoined the prote mon man innease area 40 0 for oxygen transfor 0 sterile ais julité 0 10 - notating padda. OK Stenile > sterile air thesters are ais Lubble pumped into bioneactor belp to 1 oxygen transfer area Sparged stinned tank bioneauton thru which sterile au bubbles are sparged. The advantage

this biogreador is that it helps to I oxygen stri transfer area so that more oxygen wan enter the biogreactor. Thus providing more O2 to microbes so. that they can produce the biosynthetic product more efficiently & quickly. Total bismass peroduction thes. AND > DNA Fingerprioting. It was satellite @ DNA showing high degree of polymosphism as proble. It was developed by Alco Jeffrey's. It involves Southern blot bybridisation using radiolabelled VNTR (Variable Number of Tandem Repeats) as probe. > Principle > It involves inder identification of specific sequences of DNA (repetitive DNA requence) which are unique every individual. -) <u>Steps:- (i)</u> Isolation of DNA (2) Enagmentation & Digestion Ausing Restriction Endonuc

(iii) Separating of DNA Bagments using Gel cot, electropho -resis. (Brotting) (iv) Transferring of separated fragments to fasynthetic Membrane like mylon / nitrocetulose. D Hybridization using Radio Labelled UNTREProbe (vi) Detection of by autorad autoradiography. [Vi]) The autradiogram will sha show bands of diffurent sizes. These bands are arranged in a characterister pattern which is unique to an individual. (11))) Sensititivity of this technique can be Tsed by Woing PCR Polymerase (hain Reac"). Thus DNA from only I cell is recquired AND 19 (a) Yes, I will report to authorities as consumption of performance enhancing drugs like cannabinoids is illegal and havingel for the heath of students. It can lead to & Addition which is puschalogical attatchment to certain

remponding sense of wellcan Perceived benefits of drugs lead to their f Drug Dependence & The tendency by body Stome revious, a characteristic 4 unpleasant Withdre if regular dose of drug is abruptly discon, to nauseal sweating/ anxiety/ shakines Cannabis Sativa () The receptors for cannabinoids are located in brain. These druge affected cardiovascular system of body. They Thear beat, & performance, I blood flow & Toxygen transfer trate. The produce a sense of euphonia A bense a of well being. They may result in hear Excess use of drugs may result in heast attack. ANSQO(OR) (1) BOD is the amount of Oxygen consumed if all organic matter in one litre of water is oxidised by bacteria (2) Altopic bactoria consume + degnar decompose organic matter present in sewage. In this process the use consume Brygen and Bop of water Tses as oxygen gets depleted in water. Thus killing all aquatic Fish and organisms. When most

20 and oxygen level in water Tises. Therefore, the aquatic organisms start to appear again. (3) More polluted the water, more organic matter is present in it, thus more oxygen is required to decompose it, bence more Bop of poluted water. 4) Higher BOD resul indicates more polluted water Fisht They appear other equatic org. Killed. again (oncentration) O2 level BOD Direction of flow Point of Discharge Frenage

through to too to sorred to the political 0+ 1~10 0104 et ti suig à surraliquoid drosdo trant - stroig adout fo 24007 2 Pour m/d notavalistic association b/w Fungi & 20045 · subere . (members of home general) Ditrolidonesses sitenens. Debeared ene alonine seols fron des dest pringable at different breed on different species. The ganetic variablity present in ra Boord smort fo alomino botoloren Tobreeding does not ind inger subortation 04017 more tuo pois pa smarano - 20 Ktilthat aight of attrack yoing + Assauchivity . It can inbreeding can lead to in breeding depression 0900 Piscoluonteques en los los in breeding (ontined robreding repetionly anoito anolo d-1º otqu sint il botom but botodos one ynoping ? boughous di 00 sto sharbard with (2) Rainsque bro lestaulous 10000 F choores and thoted 2200 401400ng (7) to superior t more 4 bssed 200 200 within same breed upto 4-6 denerations YACON arow 3 w/d pritom as poilogsadather () E 152 Monina holotod pilosol, 51

22 tolerance to salinity I plant growth a product -ivity Anabacida - Autotrophic cyanobacteria which can fix atmospheric M2 (in paddy fields) and convert into useful angonic compand & like nitrates 4 they I organic matter in soil, thus emitsing fortility of soil Rhizobiut > A Symbiotic gelationship b/w roots of leguminous plants 4 mizobium bacteria which l'anaeropically heric Ms into o weful organic compounds like nitrates which are used by plants. It lives in groot noducles. These futility of soil.

Franklon I Findry 200 apreadar Thon 9 to pysed into fallopion tube by (ZIFT - Zygote Endernort opredm3 (11) zygote or embrys upto 8 6 laborerer JAB 2 24 pourof Ructorod D) 1 pog U! Hopes might . mortibres sidetive i addet 200 donob brodent and made to fartilize outside month means & renable give month gost a contraction of contraction of the contraction of ganete. \$ somoord to ash I slide retemps fo Asubard 60 racht 2 rampoud Ch 5 92) mpa 4d 2 (h) glide retempe to regry 2 Looned of allopanol 3.4 egg doudes the sparm duvides gendes offertering 8008 ((8) Komogorapu 000 3.M (7 functo \$ JUNDING? Involes note beterogonal. (3) Present in abrid (I) tagased Darasophilia(HUMQAS 01 . his this SOUT MZOZZ XX 994 J-vo. 4025 53

. 24 8 blastomeres is transfered to uterus by IUT (Intra Uterine Transfer) for Juriher development -00 ANS 8 Many Forcesh water animals cannot regulate a N constant internal ienvironment 4. ice somet a. he mantain was contractic concentration of thui Per body fluids (osmoregulation). The Osmotic conci of their & body fluids Depend on esmotic concil of 181 & surrounding water body, i.e. they are conformers. Here marine environments have realt conc? is osmotic conc is very h + Geshwates fish will die in salty conditions as water will from Their body to outside & they will not be able to absorb water. AND9 (1) Protein quality + custent (2) Oil inquality & content 13) Vitamit content (4) Micropulatent 4 miperal content (a) LAB > Lactic acid and converts milk to wild. asto (b) Saccharomyces cerevisiae > yeast Perments hacad

Sharmanii -> Swiss cheese has holes Propioni bactouum (c) produces (0) which make these hole citric add Aspengillus niger > Section-D 13(a) Swachh Bharat Abhiyan is very imp for the nation as day pollution is ting air oute country. Air pollution by automobiles which release toxic Jumes 4 gases in & air are harmful for human beings as they can cause ling disease, cancers, etc Dangesous chemicals like effluents from industries 4 pesticides 4 furtilizent from farms are dumped in rivers, ponds where they cause accelerated entry entrophication causing pond to to land, algal bloom which leads to death of organisms, seep into the water ground supply 4 cause chemicals which serve as preeding ground Bon rates a stield which are 4 buining them releases toxic & gases which are in open burial these grounds 4 strict laws are not implement, then the humans

health of a humans & animals / plants will be severly affected EUOr, For eq: nitrates in durinking water cause, blue baby syndrome, S mercury > minamata disease, Cd > itai-itai disease ne neer b) 2phoblemat (1) Grasibage separation of the Tomaintain cleanliness garbage should not not be burned (as it releases gases) on stored in 18. open burial ground (b. serve as breeching ground for nature flies) In sanitory langills, the chomicals may seep into the water supply & cause pollution. ... The problem faced would Le convincing peppte of my locality to separate them garbage into biodegradoble, non-biodegradable 4 recyclable pasta. Alla Also e-wastes (old computers, mobiles) etc should not be income incincrated or buried. (2) Automobile pollution of 4 to Sanitary disposable of human waste Automöbiles release tot op air pollutants 4 poisonous yaug which cause and pollution & cancers fother diseases in human. I would face the problem of com convincing in rans. I rad Breed

petrol 4 diesel on more safer (NG. Also for sonitary disposal of faecal matter in must & as it may contaminate and ELO water + food supply causing diseases like amoebic dyeentry, typhoid, chloner cholera, accoriatis. It would difficult for me an me to convice the people to dispose use ecosor toilety for sanitary disposable of human waste. Also, I would have mee convince convine mynicipality to build ecosar foilets for ET8 pooh . (1) Iwould & encourgel por people to segragate their garbage into piologradable, non-biodegradable & recyclable parts. e-waster should be sent to recycling plants where recycling is done in safe 4 environmental safe mannes. The Vegetable) Fruit 4 other dead organic waste would be wed of as manure after decomposition. Paper, et will be recycled 2) I would encourage people to put/catalytic converter

safer, 4 more effective fuel. I would help in building state toilets which are sustainable disposal of huma waste They a using dry compositing toilets. are cost-effective, hygienic, practical fu efficient, to dispose human waste. The rest bethind slurry can be used as manure a on for bisgasproduc 36425

